

## 产品合格证

Product Qualification Certificate

设计、制造单位: 浙江三方控制阀股份有限公司

Design and manufacture unit: Zhejiang Sanfang Control Valve Co., Ltd


制造许可证编号: TS2710425-2022

Manufacture License NO.

订货单位 Order Unit	镇江海纳川物流产业发展有限责任公司		
产品名称 Product Name	气动活塞式O型切断球阀	产品品种 Product Type	角行程 rotary trip
产品批号 Lot Number	B2250181101	产品编号 Product Number	18093933
产品数量 Product Quantity	1	产品规格 Product Spec.	CF8M-DN250 ZSHOR-20K
使用介质 Working Medium	醋酸	温度范围 Temperature Range	-20 °C ~ 150 °C
耐压试验压力 Pressure of Pressure-tight Test	3 MPa	制造日期 Date of Manufacture	2018.11

本产品在生产过程中经过检验,符合《压力管道安全技术监察规程》、(相关技术标准)、设计图样和订货合同的技术要求。

The product accords with the technical requirements of Pressure Pipe Safety Technology Supervision Regulation, relative technical standard, drawing and purchase contract after inspection in the manufacturing process

检验员Inspector: 质量保证工程师QA Engineer: 

1. 本公司调节阀、球阀、蝶阀系列产品已通过英国HPI公司 PED2014/68/EU认证,证书编号HPIVS/P1002-Q-01,有效期2019年7月19日。  
Our company's control valve, ball valve, butterfly valve series products have been certified according to PED2014/68/EU by HPI, Certificate No.: HPIVS/P1002-Q-01, valid until: July 19, 2019
2. 本公司调节阀、球阀、蝶阀系列产品已通过法国BV公司SIL3认证,证书编号C140003-1/2/3, 有效期2019年10月13日。  
Our company's control valve, ball valve, butterfly valve series products have passed SIL3 certification by Bureau Veritas, Certificate No.: C140003-1/2/3, valid until: October 13, 2019
3. 本公司球阀系列产品已通过法国BV公司API607防火认证,证书编号TA-INS/ZW-16/0151, 有效期2020年4月6日  
Our company's ball valve series products have passed fire certification by Bureau Veritas, Certificate No.: TA-INS/ZW-16/0151, valid until: April 6, 2020



# 产品合格证

## Product Qualification Certificate

设计、制造单位: 浙江三方控制阀股份有限公司

Design and manufacture unit: Zhejiang Sanfang Control Valve Co., Ltd


制造许可证编号: TS2710425-2022

Manufacture License NO.

订货单位 Order Unit	镇江海纳川物流产业发展有限责任公司		
产品名称 Product Name	气动活塞式O型切断球阀	产品品种 Product Type	角行程 rotary trip
产品批号 Lot Number	B2200181101	产品编号 Product Number	18093938
产品数量 Product Quantity	1	产品规格 Product Spec.	P-DN200 ZSHOR-20K
使用介质 Working Medium	甲醇	温度范围 Temperature Range	-20 °C ~ 150 °C
耐压试验压力 Pressure of Pressure-tight Test	3 MPa	制造日期 Date of Manufacture	2018.11

本产品在生产过程中经过检验,符合《压力管道安全技术监察规程》、(相关技术标准)、设计图样和订货合同的技术要求。

The product accords with the technical requirements of Pressure Pipe Safety Technology Supervision Regulation, relative technical standard, drawing and purchase contract after inspection in the manufacturing process

检验员Inspector: 质量保证工程师QA Engineer: 

1. 本公司调节阀、球阀、蝶阀系列产品已通过英国HPI公司 PED2014/68/EU认证,证书编号HPiVS/P1002-Q-01,有效期2019年7月19日。  
Our company's control valve, ball valve, butterfly valve series products have been certified according to PED2014/68/EU by HPI, Certificate No.: HPiVS/P1002-Q-01, valid until: July 19, 2019

2. 本公司调节阀、球阀、蝶阀系列产品已通过法国BV公司SIL3认证,证书编号C140003-1/2/3,有效期2019年10月13日。  
Our company's control valve, ball valve, butterfly valve series products have passed SIL3 certification by Bureau Veritas, Certificate No.: C140003-1/2/3, valid until: October 13, 2019

3. 本公司球阀系列产品已通过法国BV公司API607防火认证,证书编号TA-INS/ZW-16/0151,有效期2020年4月6日  
Our company's ball valve series products have passed fire certification by Bureau Veritas, Certificate No.: TA-INS/ZW-16/0151, valid until: April 6, 2020



合同号:

# 产品合格证

Product Qualification Certificate

设计、制造单位: 浙江三方控制阀股份有限公司

Design and manufacture unit: Zhejiang Sanfang Control Valve Co., Ltd

制造许可证编号: TS2710425-2022

Manufacture License NO.

订货单位 Order Unit	镇江海纳川物流产业发展有限责任公司		
产品名称 Product Name	气动活塞式O型切断球阀	产品品种 Product Type	角行程 rotary trip
产品批号 Lot Number	B2200181101	产品编号 Product Number	18093937
产品数量 Product Quantity	1	产品规格 Product Spec.	P-DN200 ZSHOR-20K
使用介质 Working Medium	乙醇	温度范围 Temperature Range	-20 °C ~ 150 °C
耐压试验压力 Pressure of Pressure-tight Test	3 MPa	制造日期 Date of Manufacture	2018.11

本产品在生产过程中经过检验,符合《压力管道安全技术监察规程》、(相关技术标准)、设计图样和订货合同的技术要求。

The product accords with the technical requirements of Pressure Pipe Safety Technology Supervision Regulation, relative technical standard, drawing and purchase contract after inspection in the manufacturing process

检验员Inspector: 陈守丰

质量保证工程师QA Engineer:

陈守丰



1. 本公司调节阀、球阀、蝶阀系列产品已通过英国HPI公司 PED2014/68/EU认证, 证书编号HPiVS/P1002-Q-01, 有效期2019年7月19日。  
Our company's control valve, ball valve, butterfly valve series products have been certified according to PED2014/68/EU by HPI, Certificate No.: HPiVS/P1002-Q-01, valid until: July 19, 2019
2. 本公司调节阀、球阀、蝶阀系列产品已通过法国BV公司SIL3认证, 证书编号C140003-1/2/3, 有效期2019年10月13日。  
Our company's control valve, ball valve, butterfly valve series products have passed SIL3 certification by Bureau Veritas, Certificate No.: C140003-1/2/3, valid until: October 13, 2019
3. 本公司球阀系列产品已通过法国BV公司API607防火认证, 证书编号TA-INS/ZW-16/0151, 有效期2020年4月6日  
Our company's ball valve series products have passed fire certification by Bureau Veritas, Certificate No.: TA-INS/ZW-16/0151, valid until: April 6, 2020



## 产品合格证

Product Qualification Certificate

设计、制造单位: 浙江三方控制阀股份有限公司

Design and manufacture unit: Zhejiang Sanfang Control Valve Co., Ltd

制造许可证编号: TS2710425-2022

Manufacture License NO.


订货单位 Order Unit	镇江海纳川物流产业发展有限责任公司		
产品名称 Product Name	气动活塞式O型切断球阀	产品品种 Product Type	角行程 rotary trip
产品批号 Lot Number	B2200181101	产品编号 Product Number	18093936
产品数量 Product Quantity	1	产品规格 Product Spec.	P-DN200 ZSHOR-20K
使用介质 Working Medium	甲醇	温度范围 Temperature Range	-20 °C ~ 150 °C
耐压试验压力 Pressure of Pressure-tight Test	3 MPa	制造日期 Date of Manufacture	2018.11

本产品在生产过程中经过检验, 符合《压力管道安全技术监察规程》、(相关技术标准)、设计图样和订货合同的技术要求。

The product accords with the technical requirements of Pressure Pipe Safety Technology Supervision Regulation, relative technical standard, drawing and purchase contract after inspection in the manufacturing process

检验员Inspector: 

质量保证工程师QA Engineer:



1. 本公司调节阀、球阀、蝶阀系列产品已通过英国HPI公司 PED2014/68/EU认证, 证书编号HPiVS/P1002-Q-01, 有效期2019年7月19日。  
Our company's control valve, ball valve, butterfly valve series products have been certified according to PED2014/68/EU by HPI, Certificate No.: HPiVS/P1002-Q-01, valid until: July 19, 2019
2. 本公司调节阀、球阀、蝶阀系列产品已通过法国BV公司SIL3认证, 证书编号C140003-1/2/3, 有效期2019年10月13日。  
Our company's control valve, ball valve, butterfly valve series products have passed SIL3 certification by Bureau Veritas, Certificate No.: C140003-1/2/3, valid until: October 13, 2019
3. 本公司球阀系列产品已通过法国BV公司API607防火认证, 证书编号TA-INS/ZW-16/0151, 有效期2020年4月6日  
Our company's ball valve series products have passed fire certification by Bureau Veritas, Certificate No.: TA-INS/ZW-16/0151, valid until: April 6, 2020



合同号:

# 产品合格证

Product Qualification Certificate

设计、制造单位: 浙江三方控制阀股份有限公司

Design and manufacture unit: Zhejiang Sanfang Control Valve Co., Ltd

制造许可证编号: TS2710425-2022

Manufacture License NO.

订货单位 Order Unit	镇江海纳川物流产业发展有限责任公司		
产品名称 Product Name	气动活塞式O型切断球阀	产品品种 Product Type	角行程 rotary trip
产品批号 Lot Number	B2200181101	产品编号 Product Number	18093939
产品数量 Product Quantity	1	产品规格 Product Spec.	P-DN200 ZSHOR-20K
使用介质 Working Medium	甲醇	温度范围 Temperature Range	-20 °C ~ 150 °C
耐压试验压力 Pressure of Pressure-tight Test	3 MPa	制造日期 Date of Manufacture	2018.11

本产品在生产过程中经过检验,符合《压力管道安全技术监察规程》、(相关技术标准)、设计图样和订货合同的技术要求。

The product accords with the technical requirements of Pressure Pipe Safety Technology Supervision Regulation, relative technical standard, drawing and purchase contract after inspection in the manufacturing process

检验员Inspector: 10

质量保证工程师QA Engineer:

陈守丰



1. 本公司调节阀、球阀、蝶阀系列产品已通过英国HPI公司 PED2014/68/EU认证,证书编号HPiVS/P1002-Q-01,有效期至2019年7月19日。  
Our company's control valve, ball valve, butterfly valve series products have been certified according to PED2014/68/EU by HPI, Certificate No.: HPiVS/P1002-Q-01, valid until: July 19, 2019
2. 本公司调节阀、球阀、蝶阀系列产品已通过法国BV公司SIL3认证,证书编号C140003-1/2/3,有效期至2019年10月13日。  
Our company's control valve, ball valve, butterfly valve series products have passed SIL3 certification by Bureau Veritas, Certificate No.: C140003-1/2/3, valid until: October 13, 2019
3. 本公司球阀系列产品已通过法国BV公司API607防火认证,证书编号TA-INS/ZW-16/0151,有效期至2020年4月6日  
Our company's ball valve series products have passed fire certification by Bureau Veritas, Certificate No.: TA-INS/ZW-16/0151, valid until: April 6, 2020



# 产品合格证

## Product Qualification Certificate

设计、制造单位: 浙江三方控制阀股份有限公司

Design and manufacture unit: Zhejiang Sanfang Control Valve Co., Ltd

制造许可证编号: TS2710425-2022

Manufacture License NO.

订货单位 Order Unit	镇江海纳川物流产业发展有限责任公司		
产品名称 Product Name	气动活塞式O型切断球阀	产品品种 Product Type	角行程 rotary trip
产品批号 Lot Number	B2150181101	产品编号 Product Number	18093931
产品数量 Product Quantity	1	产品规格 Product Spec.	CF8M-DN150 ZSHOR-20K
使用介质 Working Medium	醋酸	温度范围 Temperature Range	-20 °C ~ 150 °C
耐压试验压力 Pressure of Pressure-tight Test	3 MPa	制造日期 Date of Manufacture	2018.11

本产品在生产过程中经过检验,符合《压力管道安全技术监察规程》、(相关技术标准)、设计图样和订货合同的技术要求。

The product accords with the technical requirements of Pressure Pipe Safety Technology Supervision Regulation, relative technical standard, drawing and purchase contract after inspection in the manufacturing process

检验员Inspector: 陈守丰

质量保证工程师QA Engineer: 陈守丰

1. 本公司调节阀、球阀、蝶阀系列产品已通过英国HPI公司 PED2014/68/EU认证,证书编号HPiVS/P1002-Q-01,有效期至2019年7月19日。

Our company's control valve, ball valve, butterfly valve series products have been certified according to PED2014/68/EU by HPI, Certificate No.: HPiVS/P1002-Q-01, valid until: July 19, 2019

2. 本公司调节阀、球阀、蝶阀系列产品已通过法国BV公司SIL3认证,证书编号C140003-1/2/3,有效期至2019年10月13日。

Our company's control valve, ball valve, butterfly valve series products have passed SIL3 certification by Bureau Veritas, Certificate No.: C140003-1/2/3, valid until: October 13, 2019

3. 本公司球阀系列产品已通过法国BV公司API607防火认证,证书编号TA-INS/ZW-16/0151,有效期至2020年4月6日

Our company's ball valve series products have passed fire certification by Bureau Veritas, Certificate No.: TA-INS/ZW-16/0151, valid until: April 6, 2020



合同号:

# 产品合格证

Product Qualification Certificate

设计、制造单位: 浙江三方控制阀股份有限公司

Design and manufacture unit: Zhejiang Sanfang Control Valve Co., Ltd

制造许可证编号: TS2710425-2022

Manufacture License NO.

订货单位 Order Unit	镇江海纳川物流产业发展有限责任公司		
产品名称 Product Name	气动活塞式O型切断球阀	产品品种 Product Type	角行程 rotary trip
产品批号 Lot Number	B2150181101	产品编号 Product Number	18093932
产品数量 Product Quantity	1	产品规格 Product Spec.	CF8M-DN150 ZSHOR-20K
使用介质 Working Medium	醋酸	温度范围 Temperature Range	-20 °C ~ 150 °C
耐压试验压力 Pressure of Pressure-tight Test	3 MPa	制造日期 Date of Manufacture	2018.11

本产品在生产过程中经过检验,符合《压力管道安全技术监察规程》、(相关技术标准)、设计图样和订货合同的技术要求。

The product accords with the technical requirements of Pressure Pipe Safety Technology Supervision Regulation, relative technical standard, drawing and purchase contract after inspection in the manufacturing process

检验员Inspector:

质量保证工程师QA Engineer:



1. 本公司调节阀、球阀、蝶阀系列产品已通过英国HPI公司 PED2014/68/EU认证,证书编号HPIVS/P1002-Q-01,有效期2019年7月19日。  
Our company's control valve, ball valve, butterfly valve series products have been certified according to PED2014/68/EU by HPI, Certificate No.: HPIVS/P1002-Q-01, valid until: July 19, 2019

2. 本公司调节阀、球阀、蝶阀系列产品已通过法国BV公司SIL3认证,证书编号C140003-1/2/3,有效期2019年10月13日。  
Our company's control valve, ball valve, butterfly valve series products have passed SIL3 certification by Bureau Veritas, Certificate No.: C140003-1/2/3, valid until: October 13, 2019

3. 本公司球阀系列产品已通过法国BV公司API607防火认证,证书编号TA-INS/ZW-16/0151,有效期2020年4月6日  
Our company's ball valve series products have passed fire certification by Bureau Veritas, Certificate No.: TA-INS/ZW-16/0151, valid until: April 6, 2020



合同号:

# 产品合格证

Product Qualification Certificate

设计、制造单位: 浙江三方控制阀股份有限公司

Design and manufacture unit: Zhejiang Sanfang Control Valve Co., Ltd

制造许可证编号: TS2710425-2022

Manufacture License NO.

订货单位 Order Unit	镇江海纳川物流产业发展有限责任公司		
产品名称 Product Name	气动活塞式O型切断球阀	产品品种 Product Type	角行程 rotary trip
产品批号 Lot Number	B2250181101	产品编号 Product Number	18093934
产品数量 Product Quantity	1	产品规格 Product Spec.	CF8M-DN250 ZSHOR-20K
使用介质 Working Medium	醋酸	温度范围 Temperature Range	-20 °C ~ 150 °C
耐压试验压力 Pressure of Pressure-tight Test	3 MPa	制造日期 Date of Manufacture	2018.11

本产品在生产过程中经过检验,符合《压力管道安全技术监察规程》、(相关技术标准)、设计图样和订货合同的技术要求。

The product accords with the technical requirements of Pressure Pipe Safety Technology Supervision Regulation, relative technical standard, drawing and purchase contract after inspection in the manufacturing process

检验员Inspector: 

质量保证工程师QA Engineer:

陈守丰



1. 本公司调节阀、球阀、蝶阀系列产品已通过英国HPI公司 PED2014/68/EU认证,证书编号HPiVS/P1002-Q-01,有效期2019年7月19日。  
Our company's control valve, ball valve, butterfly valve series products have been certified according to PED2014/68/EU by HPI, Certificate No.: HPiVS/P1002-Q-01, valid until: July 19, 2019
2. 本公司调节阀、球阀、蝶阀系列产品已通过法国BV公司SIL3认证,证书编号C140003-1/2/3,有效期2019年10月13日。  
Our company's control valve, ball valve, butterfly valve series products have passed SIL3 certification by Bureau Veritas, Certificate No.: C140003-1/2/3, valid until: October 13, 2019
3. 本公司球阀系列产品已通过法国BV公司API607防火认证,证书编号TA-INS/ZW-16/0151,有效期2020年4月6日  
Our company's ball valve series products have passed fire certification by Bureau Veritas, Certificate No.: TA-INS/ZW-16/0151, valid until: April 6, 2020



## 产品合格证

Product Qualification Certificate

设计、制造单位: 浙江三方控制阀股份有限公司

Design and manufacture unit: Zhejiang Sanfang Control Valve Co., Ltd



制造许可证编号: TS2710425-2022

Manufacture License NO.

订货单位 Order Unit	镇江海纳川物流产业发展有限责任公司		
产品名称 Product Name	气动活塞式O型切断球阀	产品品种 Product Type	角行程 rotary trip
产品批号 Lot Number	B2200181101	产品编号 Product Number	18093935
产品数量 Product Quantity	1	产品规格 Product Spec.	P-DN200 ZSHOR-20K
使用介质 Working Medium	乙酯	温度范围 Temperature Range	-20 °C ~ 150 °C
耐压试验压力 Pressure of Pressure-tight Test	3 MPa	制造日期 Date of Manufacture	2018.11

本产品在生产过程中经过检验, 符合《压力管道安全技术监察规程》、(相关技术标准)、设计图样和订货合同的技术要求。

The product accords with the technical requirements of Pressure Pipe Safety Technology Supervision Regulation, relative technical standard, drawing and purchase contract after inspection in the manufacturing process

检验员Inspector: 质量保证工程师QA Engineer: 

1. 本公司调节阀、球阀、蝶阀系列产品已通过英国HPI公司 PED2014/68/EU认证, 证书编号HPIVS/P1002-Q-01, 有效期2019年7月19日。  
Our company's control valve, ball valve, butterfly valve series products have been certified according to PED2014/68/EU by HPI, Certificate No.: HPIVS/P1002-Q-01, valid until: July 19, 2019
2. 本公司调节阀、球阀、蝶阀系列产品已通过法国BV公司SIL3认证, 证书编号C140003-1/2/3, 有效期2019年10月13日。  
Our company's control valve, ball valve, butterfly valve series products have passed SIL3 certification by Bureau Veritas, Certificate No.: C140003-1/2/3, valid until: October 13, 2019
3. 本公司球阀系列产品已通过法国BV公司API607防火认证, 证书编号TA-INS/ZW-16/0151, 有效期2020年4月6日  
Our company's ball valve series products have passed fire certification by Bureau Veritas, Certificate No.: TA-INS/ZW-16/0151, valid until: April 6, 2020